



City of Seattle

RECEIVED

FEB 13 2014

OFFICE OF  
ENVIRONMENTAL CLEANUP

Seattle City Light

February 13, 2014

Aaron Lambert  
Remedial Project Manager  
Environmental Cleanup Office, ECL-111  
1200 Sixth Avenue, Suite 900  
Seattle, WA 98101

Re: Eleventh submittal pursuant to the City of Seattle's Section 104(e) of CERCLA for the Lower Duwamish Waterway Superfund Site, Seattle, Washington

Dear Mr. Lambert:

The City of Seattle is pleased to submit to EPA the eleventh phase of its response to EPA's Request for Information under section 104(e) of CERCLA. In this phase the City is providing a set of over 60,000 documents considered responsive to the request. In addition, the City is providing written responses regarding Seattle City Light's transmission line rights of way, the Duwamish Substation (revised), and responses to Questions 3.b. (revised) and 3.c. regarding Seattle City Light used oil. The City also is providing answers to Question 1 (all subparts) as it relates to information submitted in this phase.

Attachments to this letter include:

1. Responses to Questions 2.a. through 2.o. and 4.a. through 4.c. for Duwamish Substation (revised) and Seattle City Light transmission line rights of way.
2. Responses to Questions 3.b. (revised) and 3.c. regarding Seattle City Light used oil.
3. Responses to Questions 1.a. through 1.c. regarding information provided in this submittal.
4. An updated spreadsheet (1.d. Table of Properties, City of Seattle Phase 10 Response).
5. A portable drive containing documents gathered in support of all of the City's responses to the Information Request and a Response Index as requested in Instruction 2. The documents are provided as PDF files compatible with Adobe Acrobat version 8.0, and each document has been made text-searchable



700 Fifth Avenue, Suite 3200, P.O. Box 34023, Seattle, WA 98124-4023  
Tel: (206) 684-3000, TTY/TDD: (206) 684-3225, Fax: (206) 625-3709

An equal employment opportunity employer. Accommodations for people with disabilities provided upon request.

USEPA SF



1418235

through OCR conversion, as requested in Instruction 3. Please note that the OCR process may not have translated well for some older documents in this submittal. To that end the Response Index includes a field indicating the general quality level of the OCR process for each document.

6. Thirty disks containing documentation supplemental to the response database records.
7. Hard copies of oversize plans and maps provided in response to EPA's request. Each oversize document is indexed in electronic form on the Phase 11 Response DVD described above.

The City of Seattle anticipates completing its response to EPA's Request for Information with the next submittal.

Sincerely,



William T. Devereaux, Manager  
Environmental Management and Compliance Unit

Enclosures

cc: Alexander Fidis (EPA)  
Laura Wishik (Law)  
Jo Bruskotter(Law)

